Carbohydrate Research, 229 (1992) C13–C14
Elsevier Science Publishers B.V., Amsterdam

AUTHOR INDEX

Andersson, F.O. 149
Andrews, M.A. 141

Benefice-Malouet, S. 293
Bischoff, M. 17
Blanc-Muesser, M. 225
Bock, K. 213
Brade, H. 213
Byrd, R.A. 195

Christian, R. 213
Coe, P.L. 293

Driguez, H. 225

Egan, W. 195

Furui, H. C1

Glaudemans, C.P.J. 103, 271
Goldstein, I.J. 337, 347
Gómez-Sánchez, A. 307
Gould, G.L. 141
Grand-Maître, C. 149
Grasdalen, H. 233
Greiner, J. 323

Hadjoudis, E. 1
Hasegawa, A. C1
Hashimoto, H. C5
Hatfield, R.D. 183
Helm, R.F. 183
Hermosín, I. 307
Hisamichi, K. 369
Holst, O. 213

Iiyama, K. 131
Ishizu, A. 131

Jaekel, F. 167

Kajihara, Y. C5
Kaku, H. 337, 347
Kamerling, J.P. 155
Kasuya, N. 131
Kiso, M. C1
Knutsen, S.H. 233
Kobayashi, H. 369
Kobayashi, Y. 363
Kodama, H. C5
Koga, K. 363
Köll, P. 17
Kong, F. 75
Konno, S. 369
Kopf, J. 17
Kosma, P. 213
Kováč, P. 103

Lankin, D.C. 245
Lavaitte, S. 225
Lis, T. 33
Lu, D. 75
Lukacs, G. 161, 167

Mavridis, I.M. 1
Maya, I. 307
Mazeau, K. 225
Milius, A. 323
Morf, M. 17

Nagumo, T. 355
Nishi, K. 117, 173
Nishino, T. 355
Nugent, S.T. 245

Ogawa, K. 41, 57
Ogawa, S. 117, 173
Olesker, A. 161, 167

Pavliak, V. 103
Peumans, W.J. 347

Ralph, J. 183
Rao, S.N. 245
Rémy, S. 167
Riess, J.G. 323
Roy, R. 149

Sarda, P. 161
Sarko, A. 41, 57
Shibata, N. 369
Somogyi, L. 89
Sutoris, H. 271
Suzuki, S. 369

Taneichi, N. 363
Taravel, F.R. 225
Thomsen, J.U. 213
Tonegawa, T. 173
Tropper, F.D. 149
Tsuchiya, T. 363
Tvaroska, I. 225

Van Damme, E.J.M. 347
Van der Ven, J.G.M. 155
Van Seeventer, P. 155
Van Steijn, A.M.P. 155
Vliegenthart, J.F.G. 155

Walker, R.T. 293
Widmalm, G. 195
Wu, X. 75

Yokoyama, J. 173
Yui, T. 41, 57

Zhang, P. 75
Ziegler, T. 271
Zimmer, B. 17

Carbohydrate Research, 229 (1992) C15–C17
Elsevier Science Publishers B.V., Amsterdam

SUBJECT INDEX

2-*O*-(2-Acetamido-2-deoxy-β-D-glucopyranosyl)-5a-carba-α-D-mannopyranose and 5a-carba-2-*O*- and 3,6-di-*O*-(α-D-mannopyranosyl)-α-D-mannopyranoses, synthesis of, 117
2-*C*-Acetamidomethyl-2-deoxy-α-D-glucopyranoside and its *manno* isomer, synthesis of methyl, 161
3-(1-Acetamidopropyl)pyrazolo[3,4-*b*]quinoxaline (flavazole) derivatives, preparation of, 89
Allofuranose derivatives, NMR spectroscopy and conformational analysis of substituted 1,2:5,6-di-*O*-isopropylidene-α-D-, 245
Amadori compounds, influence of malondialdehyde on the Maillard degradation of, 307
Anionic surfactant for biomedical use, synthesis of D-glucose 3- and 6-[2-(perfluoroalkyl)ethyl phosphates] as a new type of, 323
Anticoagulant and antithrombin activities of oversulfated fucans, 355

Binding studies on immunodeterminants: synthesis of β-(1 → 6)-linked oligosaccharide methyl glycosides having 1–4 internal D-galactopyranosyl residues flanked by gentiobiose residues, 271
Building blocks for carba-oligosaccharides related to cell-surface glycans, preparation of, 173

5a-Carba-2-*O*- and 3,6-di-*O*-(α-D-mannopyranosyl)-α-D-mannopyranoses, synthesis of 2-*O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-5a-carba-α-D-mannopyranose and, 117
Carba-oligosaccharides related to cell-surface glycans, preparation of building blocks for, 173
Carbon–proton coupling constants for the C–S–C–H pathway in 1-thioglycosides, Karplus-type equation for vicinal, 225
Chiral polysubstituted *cis*-fused decalin containing an angular *C*-methyl group, synthesis by an intramolecular Diels–Alder reaction, 167
Chlamydia lipopolysaccharides, an NMR spectroscopic investigation of Kdo-containing oligosaccharides related to the genus-specific epitope of, 213
Conformational analysis of substituted 1,2:5,6-di-*O*-isopropylidene-α-D-allofuranose derivatives, NMR spectroscopy and, 245
Conformational study of α-L-Rha*p*-(1 → 2)-α-L-Rha*p*-(1 → OMe) by NMR nuclear Overhauser effect spectroscopy (NOESY) and molecular dynamics calculations, 195
p-Coumaroylated and feruloylated methyl glycosides, synthesis of, 183
Crystal and molecular structures of the hexitol hexa-acetates, 17
Crystal structure of α-D-glucopyranosyl potassium hydrogenphosphate, 33
Crystal structure of konjac glucomannan in the mannan II polymorphic form, molecular and, 41
Crystal structure of the inclusion complex of cyclomaltoheptaose (β-cyclodextrin) with 4-*tert*-butyltoluene, 1
Crystal structure of the regenerated form of (1 → 3)-α-D-mannan, molecular and, 57
Cyclomaltoheptaose (β-cyclodextrin), crystal structure of the inclusion complex of 4-*tert*-butyltoluene with, 1

Decalin containing an angular *C*-methyl group, synthesis of a chiral polysubstituted *cis*-fused, by an intramolecular Diels–Alder reaction, 167
Deoxyfluorocellulose acetate, synthesis and characterization of highly substituted, 131
1-Deoxynojirimycin-containing glycans related to the Lewis X and sialyl-Lewis X epitopes recognized by LEC-CAMs, synthesis of, c1
Diels–Alder reaction, synthesis of a chiral polysubstituted *cis*-fused decalin containing an angular *C*-methyl group by an intramolecular, 167

2,6-Dioxabicyclo[3.1.1]heptanes, substituted: synthesis and conformational analysis of 1,3-anhydro-2,4-di-*O*-benzyl-6-deoxy-β-D-glucopyranose, 75
Disaccharides in aqueous sodium hydroxide, epimerization of reducing terminal groups of (1 → 2)-linked D-gluco- and D-manno-, 369

Epimerization of reducing terminal groups of (1 → 2)-linked D-gluco- and D-manno-disaccharides in aqueous sodium hydroxide, 369

Feruloylated and *p*-coumaroylated methyl glycosides, synthesis of, 183
Fucans, anticoagulant and antithrombin activities of oversulfated, 355

D-Galactopyranosyl residues flanked by gentiobiose residues, synthesis of β-(1 → 6)-linked oligosaccharide methyl glycosides having 1–4 internal, 271
Garlic (*Allium sativum*) bulbs, new mannose-specific lectin from, 347
β-D-Glucopyranose, 1,3-anhydro-2,4-di-*O*-benzyl-6-deoxy, synthesis, and conformational analysis by ^{1}H-NMR spectroscopy and molecular mechanics calculation, 75
α-D-Glucopyranosyl potassium hydrogenphosphate, the crystal structure of, 33
D-Glucose 3- and 6-[2-(perfluoroalkyl)ethyl phosphates], synthesis of a new type of anionic surfactant for biomedical use, 323
β-D-Glycobiosides, 1-thio-, 4-nitrophenyl, phase transfer catalyzed synthesis of, 149
Glycosides, methyl, synthesis of feruloylated and *p*-coumaroylated, 183

Hexitol hexa-acetates, the crystal and molecular structures of the, 17

Inclusion complex of cyclomaltoheptaose (β-cyclodextrin) with 4-*tert*-butyltoluene, crystal structure of the, 1
Isopropylidene and benzylidene derivatives of sugars: transacetalation, a convenient non-aqueous method for effecting the deprotection of, 141

Karplus-type equation for vicinal carbon–proton coupling constants for the C–S–C–H pathway in 1-thioglycosides, 225
Kdo-containing oligosaccharides related to the genus-specific epitope of *Chlamydia* lipopolysaccharides, an NMR spectroscopic investigation of, 213
Konjac glucomannan in the mannan II polymorphic form, molecular and crystal structure of, 41

Lectins from bulbs, mannose-specific, interaction with linear manno-oligosaccharides, 337
Lewis X and sialyl-Lewis X epitopes, synthesis of related 1-deoxynojirimycin-containing glycans, C1
Linked D-gluco- and D-manno-disaccharides in aqueous sodium hydroxide, epimerization of reducing terminal groups of (1 → 2)-, 369

Maillard degradation of Amadori compounds, influence of malondialdehyde on the, 307
Malondialdehyde, influence on the Maillard degradation of Amadori compounds, 307
(1 → 3)-α-D-Mannan, molecular and crystal structure of the regenerated form of, 57
Mannose-specific bulb lectins, interaction with linear manno-oligosaccharides and comparison with mannose/glucose-binding lectins, 337
Mannose-specific lectins from garlic and ramsons bulbs, 347
Methyl 3-*O*-(2-acetamido-2-deoxy-6-thio-β-D-glucopyranosyl)-β-D-galactopyranoside: a slow reacting acceptor-analogue which inhibits glycosylation by UDP-D-galactose-*N*-acetyl-D-glucosamine-(1 → 4)-D-galactosyltransferase, c5
Methyl 2-*C*-acetamidomethyl-2-deoxy-α-D-glucopyranoside and its *manno* isomer, synthesis of, 161
Methyl 3-deoxy-3-*C*-formyl-α-D-*arabino*-pentofuranoside, synthesis of derivatives of, 293
Molecular and crystal structure of konjac glucomannan in the mannan II polymorphic form, 41
Molecular and crystal structures of the hexitol hexa-acetates, 17
Molecular and crystal structure of the regenerated form of (1 → 3)-α-D-mannan, 57

Neocarrabiose oligosaccharides having different length and sulphate substitution, use as model for ^{1}H-NMR spectroscopy, 233
4-Nitrophenyl 1-thio-β-D-glycobiosides, phase transfer synthesis of, 149
NMR NOESY spectroscopy and molecular dynamics calculations, conformational study of α-L-Rha*p*-(1 → 2)-α-L-Rha*p*-(1 → OMe) by, 195
NMR spectroscopic investigation of Kdo-containing oligosaccharides related to the genus-specific epitope of *Chlamydia* lipopolysaccharides, 213

NMR spectroscopy and conformational analysis of substituted 1,2:5,6-di-*O*-isopropylidene-α-D-allofuranose derivatives, 245
NMR spectroscopy, the use of neocarrabiose oligosaccharides having different length and sulphate substitution as model compounds for ^{1}H-, 233

Oligosaccharide fragments of *Shigella dysenteriae* type 1 O-antigen, stereoselective syntheses of, 103
Oligosaccharide methyl glycosides having 1–4 internal D-galactopyranosyl residues flanked by gentiobiose residues, synthesis of β-(1 → 6)-linked, for immunodeterminant binding studies, 271
Oligosaccharides having different length and sulphate substitution as model compounds for ^{1}H-NMR spectroscopy, the use of neocarrabiose, 233
Oversulfated fucans, anticoagulant and antithrombin activities of, 355

Pentasaccharide fragment of the capsular polysaccharide of *Streptococcus pneumoniae* type 18C, synthesis of a repeating, 155
Pentofuranoside, synthesis of derivatives of methyl 3-deoxy-3-*C*-formyl-α-D-*arabino*-, 293
Phenylhydrazone derivatives, addition and cyclisation reactions of sugar, via a 1,4-elimination process, 89
Polysaccharide of *Streptococcus pneumoniae* type 18C, synthesis of a repeating pentasaccharide fragment of the capsular, 155
Potassium hydrogenfluoride, reaction of 2-deoxy-6-*O*-[2,3-dideoxy-4,6-*O*-isopropylidene-2,3-(*N*-tosylepimino)-α-D-mannopyranosyl]-4,5-*O*-isopropylidene-1,3-di-*N*-tosylstreptamine with, 363
Preparation of building blocks for carba-oligosaccharides related to cell-surface glycans, 173

Quinoxalinone derivatives, preparation of 3-(2-acetamido-1-phenylhydrazonobutyl)-2(1*H*)-, 89

Ramsons (*Allium ursinum*) bulbs, new mannose-specific lectin from, 347
Reaction of 2-deoxy-6-*O*-[2,3-dideoxy-4,6-*O*-isopropylidene-2,3-(*N*-tosylepimino)-α-D-mannopyranosyl]-4,5-*O*-isopropylidene-2,3-di-*N*-tosylstreptamine with potassium hydrogenfluoride, 363
α-L-Rha*p*-(1 → 2)-α-L-Rha*p*-(1 → OMe), conformational study by NMR NOESY spectroscopy and molecular dynamics calculations, 195

Shigella dysenteriae type 1 O-antigen, stereoselective syntheses of a di-, tri-, and tetra-saccharide fragment of, 103
Sialyl-Lewis X and Lewis X epitopes, synthesis of related 1-deoxynojirimycin-containing glycans, C1
Streptococcus pneumoniae type 18C, synthesis of a repeating pentasaccharide fragment of the capsular polysaccharide of, 155
Surfactant for biomedical use, synthesis of D-glucose 3- and 6-[2-(perfluoroalkyl)ethyl phosphates] as a new type of anionic, 323
Synthesis and characterization of highly substituted deoxyfluorocellulose acetate, 131
Synthesis of 2-*O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-5a-carba-α-D-mannopyranose and 5a-carba-2-*O*- and 3,6-di-*O*-(α-D-mannopyranosyl)-α-D-mannopyranoses, 117
Synthesis of derivatives of methyl 3-deoxy-3-*C*-formyl-α-D-*arabino*-pentofuranoside, 293
Synthesis of methyl 2-*C*-acetamidomethyl-2-deoxy-α-D-glucopyranoside and its *manno* isomer, 161

1-Thio-β-D-glycobiosides, 4-nitrophenyl, phase transfer catalyzed synthesis of, 149
1-Thioglycosides, Karplus-type equation for vicinal carbon–proton coupling constants for the C–S–C–H pathway in, 225
Tosylepimino)-α-D-mannopyranosyl]-4,5-*O*-isopropylidene-1,3-di-*N*-tosylstreptamine with potassium hydrogenfluoride, reaction of 2-deoxy-6-*O*-[2,3-dideoxy-4,6-*O*-isopropylidene-2,3-(*N*-, 363
Transacetalation: a convenient nonaqueous method for effecting the deprotection of isopropylidene and benzylidene derivatives of sugars, 141
3,4,6-Tri-*O*-acetyl-2-azido-2-deoxy-α-D-glucopyranosyl chloride, use as a glycosyl donor in stereoselective syntheses of fragments of *Shigella dysenteriae* type 1 O-antigen, 103